

## **D. SPECIALIZED SERVICES**

### *Contents*

D. SPECIALIZED SERVICES	D-1
D.1 Aircraft Charters	D-2
D.2 Aquaculture	D-3
D.3 Aquariums	D-4
D.4 Incinerators	D-5
D.5 Tribal Fisheries	D-6
D.6 Response Support Contractors	D-7
D.7 Technical Support	D-8
D.8 Wildlife Rescue and Rehabilitation	D-9
D.9 Work Vessels	D-11

The services listed here are for reference in support of spill response operations. NRC maintains additional lists of service providers.

Also see:

Annex 5000 Area Contact List Links, Northwest Area Plan

<http://rrt10nwac.com/Files/NWACP/Chapter%205000.pdf>

### D.1 Aircraft Charters

NAME	TYPE	CONTACT
Kenmore Air Seattle, WA	Float plane	425-486-1257
NW Seaplanes Renton, WA	Float plane	425-277-1590
Classic Helicopters Seattle, WA	Helo	206-767-0515
Columbia Flyers Gig Harbor, WA	Helo with IR	253-686-1415

### D.2 Aquaculture

In case of an oil spill, if possible, try to notify aquaculture activities in the vicinity. Preventative measures, such as booming, can prevent or minimize damage.

NAME/ADDRESS	CONTACT	TITLE	PHONE
Washington State Department of Natural Resources POB 47027 Olympia WA 98504	Celia Barton, Natural Resource Trustee	Aquaculture Program Coordinator	360-902-1735

### D.3 Aquariums

Seattle Aquarium Pier 59, 1483 Alaskan Way Seattle, WA 98101	Dave Meiva, Operations Manager	Direct: 206-491-7095  General: 206-386-4359
Remarks: Promptly notify of any spills in area. They can shift to a closed system mode (water and air) for about 24 hours maximum. They have two salt water intakes located at the extreme west end of Pier 59. At lowest tide the intake depth is 40 feet. The biggest concern is gaseous vapor problems under the dock because of air intakes. Responsible party (spiller) is requested to boom off area to maintain water and air purity.		
Point Defiance Zoo and Aquarium 5400 North Pearl Street Tacoma, WA 98407	Scott Clark / Bill Ailiff Maintenance and Engineering Supervisor	253-591-5337
Remarks: They have a single salt water intake located on The Narrows (west) side of Point Defiance Park about 150 yards offshore. At lowest tide the intake depth is 10 feet. There is no secondary intake source and the flow must be maintained at all times. In an emergency they can shut down for a short period and make their own salt water.		

## **D.4 Incinerators**

### **FUEL PROCESSORS, INC.**

4150 N. Suttle Road  
Portland, OR 97217  
Bill Briggs – Owner  
John Oxford – General Manager  
1-800-367-8894

Remarks: Utilizes an energy recover process; burns everything. Meets all emission standards. Can handle anything (sorbents, plastics, rocks, sand, etc.) except **NO HAZARDOUS WASTE**. They will **ONLY** accept materials in open top containers (55 gallon drums); no bulk truck loads. They can burn up to 11 barrels per day; have limited storage capacity.

Note: Test results required.

### **RECOMP OF WASHINGTON, INC.**

1524 Slater Road  
Ferndale, WA 98248  
Rick Lagerwey  
360-384-1057

Remarks: Non-dangerous combustible solid waste, i.e. sorbents, rags, wood, etc.

### **SPOKANE, CITY OF:**

Administrative Office:  
808 W. Spokane Falls Blvd.  
Spokane, WA 99201  
Incinerator:  
South 2900 Geiger Blvd.  
Spokane, WA 99204  
509-625-7878  
Disposal Hotline: 509-477-6800

Remarks: State-of-the-art system. Opened in 1991.

### **OTHERS:**

Cadence Chemical Resources, Inc.  
P.O. Box 770  
Michigan City, IN 46360  
219-879-0371  
FAX: 219-879-0390

Remarks: Operates facilities in Kansas, Nebraska and Arkansas. Cement kiln recycling process; can handle any hazardous waste stream. Full RCRA compliance.

## **D.5 Tribal Fisheries**

The 32 Indian Tribes in NORTHWEST Washington State (Puget Sound and Olympic Peninsula) can also be reached through the BIA offices in Everett, WA: (425) 258-2651

<b>TRIBE</b>	<b>LOCATION</b>	<b>TELEPHONE</b>
SUQUAMISH	Suquamish, WA	360-598-3311
PUYALLUP	Tacoma, WA	253-680-5560
MUCKLESHOOT	Auburn, WA	253-939-3311
NISQUALLY	Olympia, WA	360-456-5221
SQUAXIN ISLAND	Shelton, WA	360-426-9781
SKOKOMISH	Shelton	360-426-4232
QUINALT	Taholah, WA	360-276-8211
HOH	Forks, WA	360-374-6582
QUILEUTE	La Push, WA	360-374-6163
MAKAH	Neah Bay, WA	360-645-2201
PORT GAMBLE S'KLALLAM	Kingston, WA	206-297-2646
S'KLALLAM	Sequim, WA	360-683-1109
LOWER ELWHA	Port Angeles, WA	360-452-8471
LUMMI	Bellingham, WA	360-734-8180
NOOKSACK	Deming, WA	360-592-5176
SWINOMISH	La Connor, WA	360-466-3163
UPPER SKAGIT	Sedro Woolley, WA	360-856-5501
SAUK SUIATTLE	Darrington, WA	206-435-8366
SAMISH	Anacortes, WA	360-293-6404
SHOALWATER BAY	Tokeland, WA	360-267-6766
STILLAGUAMISH	Arlington, WA	360-652-7362
TULALIP	Marysville, WA	360-651-4000

## **D.6 Response Support Contractors**

**ARROW LAUNCH SERVICE**

Port Angeles, WA

360-457-1544

**BAKER TANKS NW.**

Woodinville, WA

425-487-6503

**BALLARD DIVING & SALVAGE**

Seattle, WA

206-784-5911

**FRAC-TANKS, INC.**

Brownsville, OR

541-466-5196

**FRED DEVINE DIVING & SALVAGE**

Portland, OR

503-283-5285

**GLOBAL DIVING & SALVAGE**

Seattle, WA

206-623-0621

**RAIN-FOR-RENT RENTAL TANKS**

Arlington, WA

360-403-3091

USN Supervisor of Salvage Directorate Naval Sea Systems Command  
Operations & Ocean Engineering 703-602-7527, 703-607-2758

## **D.7 Technical Support**

### **Scientific Support Coordinator (SSC)**

National Oceanographic & Atmospheric Administration  
7600 Sand Point Way N.E.  
Seattle, WA 98115  
24 hours 206-526-6317

Remarks: Spill trajectories; ESI maps; other roles described in National Contingency Plan [40 C.F.R. 300.34(d)].

### **Polaris Applied Sciences**

755 Winslow Way East #302  
Bainbridge Island, WA 98110  
24 hours 206-954-9648

Remarks: Scientific support; NRDA; overflight assessment and mapping

### **Genwest**

PO Box 397  
Edmonds, WA 98020  
24 hours 425-771-2700

Remarks: Spill management team support; Planning: Situations boards

## **D.8 Wildlife Rescue and Rehabilitation**

### **Focus Wildlife**

1408 19th St  
Anacortes, WA 98221  
Chris Battaglia  
800-578-3048

Remarks: Provides wildlife rescue services, provides responders, specialist and responder training. The primary wildlife rescue personnel provider under the NRC Plan, to deploy in conjunction with the NRCES MRU equipment.

### **International Bird Rescue**

San Francisco Oiled Wildlife Care and Education Center  
4369 Cordelia Rd.  
Fairfield, CA 94534  
IBR Representative Pacific NW – Alaska  
P.O. Box 5574  
Lynnwood, WA 98046  
Curt Clumpner  
707-207-0380  
FAX: 707-207-0395  
503-338-7490

Remarks: This is a consulting firm having some equipment for bird cleanup, but basically providing information and supervisory assistance. The center has a slide program for rapid training of local volunteers.

### **Tri-State Bird Rescue**

110 Possum Hollow Road  
Newark, DE 19711  
24/7 pager 800-710-0695  
302-737-9543  
Reception Desk 9am to 5 pm ET

Remarks: Tri-State has trained, dedicated staff on call 24/7 to respond to oil spills anywhere in the world.

### **Sarvey Wildlife Care Center**

P.O. Box 3509  
Arlington, WA 98223  
Leslie Henry, Clinic Director  
360-435-4817

Remarks: They can respond to effect bird rescue within Puget Sound Region. They have a limited full-time staff and equipment, but can provide training, organization, and supervision to local volunteers.

**Wolf Hollow Wildlife Rehabilitation Centre**

P.O. Box 391  
Friday Harbor, WA 98250  
Julie Knight, Executive Director  
24 hours 360-378-5000

Remarks: This facility is authorized to handle endangered species. They provide a full range of rehabilitation services for birds, marine mammals and land mammals.

**Oiled Wildlife Care Network**

Wildlife Health Center  
School of Veterinary Medicine  
University of California, Davis  
One Shields Ave.  
Davis, CA 95616  
503-752-4167

Remarks: The Oiled Wildlife Care Network (OWCN) is a statewide collective of trained wildlife care providers, regulatory agencies, academic institutions and wildlife organizations that works to rescue and rehabilitate oiled wildlife.

**Progressive Animal Welfare Society (PAWS)**

Wildlife Center  
15305 44th Ave W  
Lynnwood, WA 98087  
425-787-2500, ext 815

Remarks: Can provide limited local wildlife animal care assistance in the event of a spill.

**Washington Dept. of Fish and Wildlife: Oil Spill Response Team**

24/7 pager 360-534-8233

Remarks: POC to report oiled wildlife. Provides conduit to personnel and equipment.

**NOAA National Marine Fisheries Service: NW Regional Stranding Coordinator**

Brent Norberg  
206-526-6150

Remarks: POC to report stranded/oiled marine mammals.



**Island Oil Spill Association (IOSA)**

P.O. Box 2316  
Friday Harbor, WA 98250  
Julie Knight, Coordinator  
360-378-5322

Remarks: Provides oil spill assessment, cleanup containment services and will perform wildlife rescue services.

**Humane Society of the U.S. (HSUS)**

National Headquarters:  
2100 L St. NW  
Washington, D.C. 20037  
202-452-1100

Remarks: This organization can send staff to the scene of major spills and supports bird rescue efforts until local volunteers and agencies assume responsibility. HSUS can provide information to local animal assistance organizations which can help in the event of a spill.

## D.9 Work Vessels

### **ELSIE M II** (Uninspected landing craft, steel hull, and 5 passenger limit)

24 hour capability is variable and typically has a 1 man crew  
56ft. Length x 14ft. Beam x 52in. Draft (Unloaded) and 60in. Draft(Loaded)  
Cargo Deck is 40ft. x 11ft.  
Ramp Width 14ft. and Ramp Length 12.5ft.(60,000lbs. Ramp Weight Allowance)  
Cargo weight rating is 60,000lbs.  
Conventional Shaft Drive-Twin Screw with an estimated cruising range of 400 nm.  
No crane available  
Geographic waters of vessel: Inland Waters

#### Contact

Hat Island Community Inc.  
PMB 3616 335 Colby Ave  
Everett, WA 98201  
Phone (Office) 1-360-444-6611 (Home) 1-360-444-6657

### **HENRY ISLAND** (USCG inspected landing craft, steel hull, and 6 passengers per COI)

24 hour capability is variable and typically crewed by 1 man  
85ft.Length x 25.5ft.Beam x 3.2ft.Draft (Unloaded) and 4.5ft.(Loaded)  
Cargo Deck is 70ft. x 23.5ft.  
Ramp Width 15ft. and Ramp Length 15ft.(100,000lb. ramp Weight Allowance)  
Cargo weight rating is 185,000lbs.  
Conventional Shaft Drive-Twin Screw with an estimated cruising range of 800 nm.  
No crane available  
Geographic waters of vessel: Inland Waters

#### Contact

San Juan Ferry and Barge  
P.O. Box 965  
Friday Harbor 98520  
Phone (24 Hour) 1-360-378-4404 (Cell Phone) 1-360-317-8486

### **ISLAND EXPRESS** (USCG inspected landing craft, aluminum hull, 42 passengers per COI)

24 hour capability is variable and typically has 2 man crewing  
40ft. Length x 14ft. Beam x 3.5ft Draft (Unloaded) and 4ft. (Loaded)  
Cargo Deck is 10ft x 13ft.  
Ramp Width 9.5ft.and Ramp Length 4ft.( 2,000lbs. Ramp weight Allowance)  
Cargo weight rating is 6,000lbs.  
Out Drives-Twin Screw with an estimated cruising range of 250 nm.  
No Crane  
Geographic waters of vessel: Inland Waters

Contact

Island Express Charters Inc.  
4005 Robin Ct.  
Anacortes, WA 98221  
Phone (24 hour) 1-360-229-2875  
Email:islandexpresscharters.com

**ISLAND TRANSPORTER** (Uninspected landing craft, steel hull, and 6 passenger limit)

24 hour capability is variable and typically has a 1 man crew  
74ft. Length x 25ft. Beam x 3ft. (Unloaded) and 4ft. (Loaded)  
Cargo Deck is 66ft. x 22ft.  
Ramp Width 12ft. and ramp Length 13ft. (100,00lbs. Ramp Weight Allowance)  
Cargo weight rating is 100,000lbs  
Conventional Shaft Drive-Twin Screw with an estimated cruising range of 200 nm.  
1 ton crane (small)  
Geographic waters of vessel: Near Coastal and Inland Waters

Contact

Island Transporter  
1909 Skyline Way Suite 103  
Anacortes, WA 98221  
Phone (24 Hour) 1-360-293-6060 (Fax) 1-360-293-8674 (Cell) 1-360-941-6060

**LITEWEIGHT** (Uninspected landing craft, steel hull, and 6 passengers limit)

24 hour capability is variable and typically has a 2 man crew  
74ft. Length x 22ft. Beam x 5.5ft. Draft (Unloaded) and 6ft. Draft(Loaded)  
Cargo Deck is 42ft. x 14.5ft.  
Ramp Width 14.5ft. and Ramp Length 18ft.(40 ton Ramp Weight Allowance)  
Cargo weight rating is 40 tons  
Conventional Shaft Drive-Twin Screw with an estimated cruising range of 1,500 nm.  
12,000 lb certified crane(1,200 lb max at 31ft. max.) 35 ton Lorain mobile crane, and deck barge  
with ramp available  
Geographic waters of vessel: Inland Waters and Near Coastal Waters

Contact

Liteweight Marine  
5320 Orcas Road  
Eastsound, WA 98245  
Phone (Office) 1-360-376-2257  
Email: [liteweight@orcasonline.com](mailto:liteweight@orcasonline.com)

**NORDLAND** (USCG inspected landing craft, wooden hull, and 6 passengers per COI)  
24 hour capability is variable and typically has a 1 man crew  
65ft. Length x 22.5ft. Beam x 4.5ft. Draft (Unloaded) and 5.5ft. Draft (Loaded)  
Cargo Deck is 52ft. x 21ft.  
Ramp Width 13ft. and ramp Length 12ft. (75,000lb. ramp Weight Allowance)  
Cargo weight rating is 75,000lb.  
Conventional Shaft Drive-Single Screw with an estimated cruising range of 300nm.  
No Crane  
Geographic waters: Inland waters

Contact  
San Juan Ferry and Barge  
P.O. Box 965  
Friday Harbor, WA 98520  
Phone (24 Hour) 1-360-378-4404 and (Cell Phone) 1-360-317-8486

**PINTAIL** (USCG inspected landing craft, steel hull, and 6 passengers per COI)  
24 hour capability is variable and typically has 1 to 2 man crewing  
70ft. Length x 26ft. x Beam x 4ft. (Unloaded) and 5.2ft. Draft (Loaded)  
Cargo deck is 48ft. x 26ft.  
Ramp Width 17ft. and Ramp Length 22ft. (100,000lbs. Ramp Weight Allowance)  
Cargo weight rating is 100,000lbs.  
Conventional Shaft Drive-Twin Screw with an estimated cruising range of 3,200 nm  
4 ton certified crane (onboard) and a 20 ton certified mobile crane available  
Geographic waters of vessel: Near Coastal and Inland Waters

Contact  
Pintail Inc.  
P.O. Box 3284  
Friday Harbor 98250  
Phone (24 hour) 1-360-317-8532  
Email: pintail@rockisland.com

**SEA SPRAY** (Uninspected landing craft, aluminum hull, and 6 passenger limit)  
24 hour capability is variable and typically has a 3 to 4 man crewing  
65ft. Length x 17ft. Beam x 2ft. Draft (Unloaded) and 3ft. Draft (Loaded)  
Cargo Deck is 40ft. x 14ft.  
Ramp Width 15ft. and Ramp Length 10ft. (50,000lbs Ramp Weight Allowance)  
Cargo weight rating is 50,000lbs.  
Out Drives-Twin Screw with an estimated cruising range of 600nm.  
2 cranes rated at 1,500 lbs. at 18ft. radius  
Geographic waters of vessel: Near Coastal and Inland Waters

Contact

Trident Seafood (Matt Chester)  
7226 182 St. SW  
Edmonds, WA 98206  
Phone (24 hour) 1-206-853-2390 or 1-425-697-5274

**SPRIG II** (Uninspected landing craft, steel hull, and 6 passenger limit)

24 hour capability is variable and typically has a 3 to 4 man crewing  
75ft. Length x 21ft. Beam x 4ft. Draft (Unloaded) and 5.5ft Draft (Loaded)  
Cargo Deck is 17ft. x 55ft.  
Ramp Width 16ft. and Ramp Length 12ft.(120,000lbs Ramp Weight Allowance)  
Cargo weight rating is 120,000lbs.  
Conventional Shaft Drive-Twin Screw with an estimated cruising range of 1,200nm.  
1,800 lb. crane at full extension  
Geographic waters of vessel: Near Coastal and Inland Waters

Contact

Trident Seafood (Matt Chester)  
7226 182 St. SW  
Edmonds, WA 98206  
Phone (24 hour) 1-206-853-2390 or 1-425-697-5274

**THUNDERBIRD** (Uninspected landing craft, steel hull, and 6 passenger limit)

24 hour capability is variable and typically has 3 man crewing  
75ft. Length x 20ft. Beam x 4ft. Draft (Unloaded) and 7ft. Draft (Loaded)  
Cargo Deck is 60ft. x 20ft.  
Ramp Width is 10ft. and Ramp Length is 14ft.( 50,000lb. Ramp Weight Allowance)  
Cargo weight rating is 50,000lbs.  
Conventional Shaft Drive-Twin Screw with an estimated cruising range of 1,500 nm  
6 and 3 ton certified cranes  
Geographic waters of vessel: Near Coastal and Inland Waters

Contact

Washington State Parks (Lynn Nordon)  
160 Cornet Bay Road  
Oak Harbor, WA 98277  
Phone 1-360-902-8540, 1-360-902-8544 (Tim Payne), and (Cell) 1-360-789-3975

**WARRIOR** (USCG inspected landing craft, steel hull, and 6 passengers per COI)

24 hour capability is variable and typically has 2 man crewing  
56ft. Length x 20ft. Beam x 2ft. Draft (Unloaded) and 2.6ft. Draft (Loaded)  
Cargo Deck is 35ft.x 20ft.  
Ramp Width 9ft. and Ramp Length 18ft.(40,000lb. Ramp Weight Allowance)

Cargo weight rating is 40,000lbs

Conventional Shaft Drive-Twin Screw with an estimated cruising range of 300 nm.

5 ton certified crane (4,000 lbs at 26ft. all radius)

Geographic waters vessel of vessel: Near Coastal and Inland Waters

Contact

Arrow Launch Service

P.O. Box 2376, 115 E. Railroad Ave

Port Angeles, WA 98362

Phone (24 Hour) 1-800-224-2949, 1-360-457-1544 and (Fax) 1-360-457-1552

Email:dispatch@arrowlaunch.com